


## Ph. Q1W3-Test 1

### Multiple Choice

Identify the choice that best completes the statement or answers the question.

- \_\_\_ 1. Multiplying or dividing vectors by scalars results in
- vectors.
  - scalars.
  - vectors if multiplied or scalars if divided.
  - scalars if multiplied or vectors if divided.
- \_\_\_ 2. For the winter, a duck flies 10.0 m/s due south against a gust of wind with a speed of 2.5 m/s. What is the resultant velocity of the duck?
- 12.5 m/s south
  - 12.5 m/s south
  - 7.5 m/s south
  - 7.5 m/s south
- \_\_\_ 3. Identify the following quantities as scalar or vector: the speed of a snail, the time it takes to run a mile, the free-fall acceleration.
- vector, scalar, scalar
  - scalar, scalar, vector
  - vector, scalar, vector
  - scalar, vector, vector
- \_\_\_ 4. A piece of chalk is dropped by a teacher walking at a speed of 1.5 m/s. From the teacher's perspective, the chalk appears to fall
- straight down.
  - straight down and backward.
  - straight down and forward.
  - straight backward.
- \_\_\_ 5. Which of the following is the best coordinate system to analyze a painter climbing a ladder at an angle of  $60^\circ$  to the ground?
- $x$ -axis: horizontal along the ground;  $y$ -axis: along the ladder
  - $x$ -axis: along the ladder;  $y$ -axis: horizontal along the ground
  - $x$ -axis: horizontal along the ground;  $y$ -axis: up and down
  - $x$ -axis: along the ladder;  $y$ -axis: up and down



The figure above shows the path of a ball tossed from a building. Air resistance is ignored.

- \_\_\_ 6. In the figure above, the magnitude of the ball's velocity is least at location
- A.
  - C.





25. While grazing, a caribou treks 136 m at  $53.0^\circ$  west of south, and then 129 m west. What is the caribou's resultant displacement?
- A-  $1.00 \times 10^2$  m ,  $62.7^\circ$  west of south
  - B-  $1.37 \times 10^2$  m ,  $62.7^\circ$  west of south
  - C-  $2.00 \times 10^2$  m ,  $62.7^\circ$  west of south
  - D-  $2.37 \times 10^2$  m ,  $62.7^\circ$  west of south
26. A cow ambles through a break in the barnyard fence and wanders 34 m at  $60.1^\circ$  north of east, and then 21 m east. If the cow's wanderings last 3.4 minutes, what is the cow's average velocity?
- A- 0.23 m/s,  $37^\circ$  north of east
  - B- 0.15 m/s,  $37^\circ$  north of east
  - C- 0.103 m/s,  $37^\circ$  north of east
  - D- 0.05 m/s,  $37^\circ$  north of east
27. A lightning bug flies at a velocity of 0.15 m/s due east toward another lightning bug seen off in the distance. A light easterly breeze blows on the bug at a velocity of 0.15 m/s. What is the resultant velocity of the lightning bug?
- A- 0.00 m/s
  - B- 1.00 m/s
  - C- 2.00 m/s
  - D- 3.00 m/s
28. A model rocket flies horizontally off the edge of a cliff at a velocity of 70.0 m/s. If the canyon below is 110.0 m deep, how far from the edge of the cliff does the model rocket land? ( $a_y = -g = -9.81 \text{ m/s}^2$ )
- A-  $1.31 \times 10^2$  m
  - B-  $2.31 \times 10^2$  m
  - C-  $3.31 \times 10^2$  m
  - D-  $4.31 \times 10^2$  m
29. A stone is thrown at an angle of  $30.0^\circ$  above the horizontal from the top edge of a cliff with an initial speed of 15 m/s. A stopwatch measures the stone's trajectory time from the top of the cliff to the bottom at 6.30 s. What is the height of the cliff? (Assume no air resistance and that  $a_y = -g = -9.81 \text{ m/s}^2$ .)
- A- 138 m
  - B- 148 m
  - C- 158 m
  - D- 168 m

30. A dog walks 17 steps north and then walks 51 steps west to bury a bone. If the dog walks back to the starting point in a straight line, how many steps will the dog take? Use the graphical method to find the magnitude of the net displacement.

- A- 34 steps
- B- 44 steps
- C- 54 steps
- D- 64 steps



